### panconnect.



BASICS

# MOVE

MOVE is a simple and durable all-metal panel with foldable doors, creating a tidy and clean impression on conference tables. Precisely milled components bring a touch of liveliness to universal simple shapes through subtle details. MOVE M has a square footprint (160 x 160 mm including the frame), while MOVE XL is only 60 mm wider. Both models can be equipped with sockets, USB-C/A charging, connectors, cables, and MOVE XL also has versions with preparation for button control systems from multiple manufacturers. Configurable with connectors and cables Integrated lid with smooth motion Available with USB-A QC & USB-C 60W PD Standard and Flush installation possible Full metal construction with durable coating Supports wide range of socket standards



#### MOVE M


MOVE M offers high variability - from charging only variant to a combination of connectors and PULL-OUT cables.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
160 × 160 × 106	1300	250 × 250 × 200 / 1,6
Number of sockets	USB-C/A 60W charging	Power cables
1 - 4	0 - 2	2.9m, ending with a plug 25cm WIELAND or WINSTA min
Number of cables	Connector field	CUT-OUT (mm)
0 - 2 PASS-THRU (optionally PULL-OUTs)	0 - 1, optionally in combination with 2x I AN	148 × 145

#### MOVE XL

MOVE XL is the larger panel that offers up to 2 cables and connector field, alternatively integration of control system adapter.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
220 × 160 × 106	1650	250 × 300 × 200 / 2,0
Number of sockets	USB-C/A 60W charging	Power cables
2 - 6	0 - 2	2.9m, ending with a plug 25cm WIELAND or WINSTA min
Number of cables	Connector field	CUT-OUT (mm)
0 - 2 PASS-THRU (optionally PULL-OUTs)	0 - 1, optionally in combination with 2x LAN	208 × 145

### panconnect.

#### COLOURS

 painting, respectively.
 BLACK

 WHITE
 black coating, finely textured surface, fitting RAL 9003

 SILVER
 black coating, resistant smooth matt surface, fitting RAL 9006

 ALU SILVER
 ONYX BLACK

 metallic matt colour on the frame, lid and socket
 metallic matt colour on the frame, lid and socket

MOVE is always offered as a fully painted panel, and in the case of optional colors ALU SILVER and ONYX BLACK, they are paired with SILVER and BLACK

Main attributes for all sizes of panel MOVE

and attributes for an sizes of parter MOV

USB-C CHARGING SPECIFICATION

PowerDelivery Protocol up to 60W

SOCKETS

230V/10A (EU), 110V/10A (US)

MATERIALS

dural, stainless steel, steel, ABS plastics (sockets)

AVAILABLE IN THIS VERSION FROM

2023

#### **POWER CABLES**

Panels are always supplied with integrated power cable.



#### Cable with standard plug type

2.9 meter long cable (not available for US standard)



#### WIELAND GST18i3

25 cm long pigtail cable with connector (male, 2+PE, 10A)



#### WINSTA mini

USB-A CHARGING SPECIFICATION

QuickCharge 3.0 (up to 5A)

POWER SUPPLY

110 - 250V, 10A

IP22

INGRESS PROTECTION

25 cm long pigtail cable with connector (male, 2+PE, 10A)

#### MOVE XL WITH CONTROL SYSTEM INTEGRATIONS

MOVE XL offers the option to install a control system with dimensions of 55x55mm. Compatible with control systems from 3 manufacturers as standard.

#### SUPPORTED CONTROL SYSTEMS

MOVE XL supports the direct integration of keypad control systems or bus-based button keypads from three manufacturers. However, it is also possible to custom integrate other solutions within the dimensions of 55 x 55 mm.

CUE KEYPAD 55



BIAMP IMPERA ECCHO (PLUS)



EXTRON MLC 62 SERIES

### panconnect.

#### CABLE INTEGRATION OPTIONS IN THE PANEL

MOVE is always equipped with a cable position insert and a desktop holder for the other end of the cable.

#### CABLE INSERT AND UNDER TABLE HOLDER


The cable PASS-THRU allows for easy and gentle cable threading through the panel, whether it's passive cables threaded through the panel or userretractable cables.

The cable insert is easily inserted and secured with a single screw from the bottom after threading the cable through.

Cable holder under the desk for cable length set up



#### EXTENDED OPTIONS FOR CABLE POSITIONS



#### PULL-OUT WITH PULLEY AND CABLE

PULL-OUT with a cable of your choice (options listed below).

#### INDIVIDUAL CABLES FOR PASS THRU INTEGRATION

Cable installation is possible before or after the panel is installed in the table. The cable can be fixed according to the desired length using the cable holder on the panel.

I I I I	Cable HDMI 1.4 (MALE-MALE), 4K 30Hz, awg32/22	
	ндмі (м-м), 2м	ACA-HMHM-20
	ндмі (м-м), зм	ACA-HMHM-30
1 1 HISH HISH	Cable HDMI 1.4 (MALE-FEMALE), 4K 30Hz, awg32/22	
TT	HDMI (M-F), 2M	ACA-HMHF-20
	Cable CAT6 RJ45 (MALE-MALE), UTP, AWG26/7	
ΤT	LAN Cat6 (M-M), 2M LAN Cat6 (M-M), 3M	ACA-LMLM-20 ACA-LMLM-30
R.m.	Cable USB3.0 (MALE-FEMALE), 5Gbps, AWG28/28, 9 pin	
4 4 20 20	USB-A (M-F), 2M	ACA-AMAF-20
	USB-A (M-F), 3M	ACA-AMAF-30
140 140	Cable USB-C (MALE-MALE), 3.2 gen1, 10 Gbps	
	USB-C (M-M), 2M	ACA-CMCM-20
	USB-C (M-M), 3M	ACA-CMCM-30
<b>Y</b>	Cable USB-C (MALE-FEMALE), 3.2 gen1, 10 Gbps	
<b>4 4</b>	USB-C (M-F), 2M	ACA-CMCF-20
	Cable with connector Apple Lightning/USB-C (MALE-MALE)	
TŸ	LIGHTNING/USB-C (M-M), 2M	ACA-LMCM-20
	Cable with connector Apple Lightning/USB-A (MALE-MALE)	
T <b>T</b>	LIGHTNING/USB-A (M-M), 2M	ACA-LMAM-20
Y HOM	Cable with integrated switcher USB-C/HDMI (MALE-MALE)	
	USB-C/HDMI (M-M), 2M	ACA-CMHM-20
<b>A</b>	Soft fabric bag for PASS-THRU cable position (linked to the pa	nel)
	PASS-THRU BAG (no cable) BLACK	APT-BAG-B

### panconnect.

#### PULL-OUT CABLE SYSTEM FOR INTEGRATION INTO PASS-THRU IN PANEL

Individually packaged, the PULL-OUT comes with a bracket for attaching to the panel and a pulley for either using your own cable or already equipped with the chosen cable from the manufacturer.

PULL-OUT & HDMI (M-M), 2M	BLACK	АРО-НМНМ-20-В
PULL-OUT & HDMI (M-M), 2M	GREY	APO-HMHM-20-G
PULL-OUT & HDMI (M-M), 3M	BLACK	ΑΡΟ-ΗΜΗΜ-30-Β
PULL-OUT & HDMI (M-M), 3M	GREY	APO-HMHM-30-G
PULL-OUT with cable HDMI 1.4 (MALE-FEMALE	), 4K 30Hz, awg32/22	
PULL-OUT & HDMI (M-F), 2M	BLACK	APO-HMHF-20-B
PULL-OUT & HDMI (M-F), 2M	GREY	APO-HMHF-20-G
PULL-OUT with cable CAT6 RJ45 (MALE-MALE	), UTP, AWG26/7	
PULL-OUT & LAN Cat6 (M-M), 2M	BLACK	APO-LMLM-20-B
PULL-OUT & LAN Cat6 (M-M), 2M	GREY	APO-LMLM-20-G
PULL-OUT & LAN Cat6 (M-M), 3M	BLACK	APO-LMLM-30-B
PULL-OUT & LAN Cat6 (M-M), 3M	GREY	APO-LMLM-30-G
PULL-OUT with cable USB3.0 (MALE-FEMALE),	5Gbps, AWG28/28, 9 pin	
PULL-OUT & USB-A (M-F), 2M	BLACK	APO-AMAF-20-B
PULL-OUT & USB-A (M-F), 2M	GREY	APO-AMAF-20-G
PULL-OUT & USB-A (M-F), 3M	BLACK	APO-AMAF-30-B
PULL-OUT & USB-A (M-F), 3M	GREY	APO-AMAF-30-G
PULL-OUT with cable USB-C (MALE-MALE), 3.2	gen1, 10 Gbps	
PULL-OUT & USB-C (M-M), 2M	BLACK	APO-CMCM-20-B
PULL-OUT & USB-C (M-M), 2M	GREY	APO-CMCM-20-G
PULL-OUT & USB-C (M-M), 3M	BLACK	APO-CMCM-30-B
PULL-OUT & USB-C (M-M), 3M	GREY	APO-CMCM-30-G
PULL-OUT with cable USB-C (MALE-FEMALE),	3.2 gen1, 10 Gbps	
PULL-OUT & USB-C (M-F), 2M	BLACK	APO-CMCF-20-B
PULL-OUT & USB-C (M-F), 2M	GREY	APO-CMCF-20-G
PULL-OUT with cable connector for Apple Lig	htning / USB-C (MALE-MALE)	
PULL-OUT & LIGHTNING/USB-C (M-M), 2M	BLACK	APO-LMCM-20-B
PULL-OUT & LIGHTNING/USB-C (M-M), 2M	GREY	APO-LMCM-20-G
PULL-OUT with cable connector for Apple Ligh	ntning / USB-A (MALE-MALE)	
PULL-OUT & LIGHTNING/USB-A (M-M), 2M	BLACK	APO-LMAM-20-B
PULL-OUT & LIGHTNING/USB-A (M-M), 2M	GREY	APO-LMAM-20-G
PULL-OUT with cable USB-C / HDMI (MALE-M	ALE)	
PULL-OUT & USB-C/HDMI (M-M), 2M	BLACK	APO-HMHF-20-B
PULL-OUT & USB-C/HDMI (M-M), 2M	GREY	APO-HMHF-20-G
PULL-OUT WITH PULLEY (no cable)		
PULL-OUT BAG with pulley, BLACK		APO-BAG-B



### panconnect.

#### **CONNECTOR FIELD**

MOVE offers single connectors or their combinations in one slot in all sizes. Variants with sockets only or sockets with USB-C/A charging are available as well. In case of custom requirements, please contact customer support.

	4 ▶ 2x LAN Cat6A (RJ45)
	Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, couple
	HDMI & LAN Cat6A (RJ45)
	HDMI 2.0b, 4K 60 Hz, do 18Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, couple
HDMI	
HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm	USB-C 3.2 GEN 2, 10 Gbps, 150 mm HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm
LAN Cat6A (RJ45)	USB-A & HDMI
Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	USB-A 3.0 GEN 2, 5 Gbps, 150 mm HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm
USB-C	USB-C & LAN Cat6A (RJ45)
USB-C 3.2 GEN 2, 10 Gbps, 150 mm	USB-C 3.2 GEN 2, 10 Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, couple
USB-A	USB-A & LAN Cat6A (RJ45)
USB-A 3.0 GEN 2, 5 Gbps, 150 mm	USB-A 3.0 GEN 2, 5 Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, couple

#### LIST OF VARIANTS

MOVE M, 4x SOCKETS	
BLACK	MOM-4SC-B
WHITE	MOM-4SC-W
SILVER	MOM-4SC-S

#### MOVE M, 3x SOCKETS, USB-C/A CHARGING

BLACK WHITE SILVER

MOM-3SC-1AC-B MOM-3SC-1AC-W MOM-3SC-1AC-S

MOM-2SC-2AC-S



#### MOVE M, 2x SOCKETS, 2x USB-C/A CHARGING

BLACK WHITE SILVER MOM-2SC-2AC-B MOM-2SC-2AC-W

BASICS

### panconnect.



.

#### MOVE M, 3x SOCKET, CONNECTOR FIELD (1 or 2 connectors)

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60H	Iz, (F-F, 150 mm)	RJ45 Cat6A S	FTP + HDMI 4K 60Hz
BLACK	MOM-3SC-1H-B	BLACK	MOM-3SC-1HL-B
WHITE	MOM-3SC-1H-W		MOM-3SC-1HL-W
SILVER	MOM-3SC-1H-S	SILVER	MOM-3SC-1HL-S
NJ45 Cat6A S/FTF	P, 10GBase-T (F-F, coupler)	USB-C 3.2 ger	n2 + HDMI 4K 60Hz
BLACK	MOM-3SC-1L-B	BLACK	MOM-3SC-1HC-B
NHITE	MOM-3SC-1L-W	I WHITE	MOM-3SC-1HC-W
SILVER	MOM-3SC-1L-S	SILVER	MOM-3SC-1HC-S
JSB-C 3.2 gen2 10	) Gbps (F-F, 150 mm)	USB-A 3.0 + H	IDMI 4K 60Hz
BLACK	MOM-3SC-1C-B	BLACK	MOM-3SC-1HA-B
NHITE	MOM-3SC-1C-W		MOM-3SC-1HA-W
SILVER	MOM-3SC-1C-S	SILVER	MOM-3SC-1HA-S
JSB-A 3.0, 5 Gbps	s, (F-F, 150 mm)	RJ45 Cat6A S	/FTP + USB-C 3.2 gen2
BLACK	MOM-3SC-1A-B	BLACK	MOM-3SC-1CL-B
NHITE	MOM-3SC-1A-W	I WHITE	MOM-3SC-1CL-W
SILVER	MOM-3SC-1A-S	SILVER	MOM-3SC-1CL-S
x Cat6A S/FTP, 10	)GBase-T (F-F, coupler)	RJ45 Cat6A S	/FTP + USB-A 3.0
BLACK	MOM-3SC-2L-B	BLACK	MOM-3SC-1AL-B
WHITE	MOM-3SC-2L-W		MOM-3SC-1AL-W
SILVER	MOM-3SC-2L-S	SILVER	MOM-3SC-1AL-S



#### MOVE M, 2x SOCKET, USB-C/A CHARGING, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

4 1

1

4 1

41

BLACK	MOM-2SC-1AC-1H-B
WHITE	MOM-2SC-1AC-1H-W
SILVER	MOM-2SC-1AC-1H-S
RJ45 Cat6A S/FTF	9, 10GBase-T (F-F, coupler)
BLACK	MOM-2SC-1AC-1L-B
WHITE	MOM-2SC-1AC-1L-W
SILVER	MOM-2SC-1AC-1L-S
USB-C 3.2 gen2 10	Gbps (F-F, 150 mm)
BLACK	MOM-2SC-1AC-1C-B
WHITE	MOM-2SC-1AC-1C-V
SILVER	MOM-2SC-1AC-1C-S
USB-A 3.0, 5 Gbps	s, (F-F, 150 mm)
BLACK	MOM-2SC-1AC-1A-B
WHITE	MOM-2SC-1AC-1A-W
SILVER	MOM-2SC-1AC-1A-S
2x Cat6A S/FTP, 10	)GBase-T (F-F, coupler)
BLACK	MOM-2SC-1AC-2L-B
	MOM-2SC-1AC-2L-W
WHITE	MOM-25C-IAC-2L-W

BLACK	MOM-2SC-1AC-1HL-B
WHITE	MOM-2SC-1AC-1HL-W
SILVER	MOM-2SC-1AC-1HL-S
USB-C 3.2 gen2 +	+ HDMI 4K 60Hz
BLACK	MOM-2SC-1AC-1HC-B
WHITE	MOM-2SC-1AC-1HC-W
SILVER	MOM-2SC-1AC-1HC-S
USB-A 3.0 + HDM	II 4K 60Hz
BLACK	MOM-2SC-1AC-1HA-B
WHITE	MOM-2SC-1AC-1HA-W
SILVER	MOM-2SC-1AC-1HA-S
RJ45 Cat6A S/FT	P + USB-C 3.2 gen2
BLACK	MOM-2SC-1AC-1CL-B
	MOM-2SC-1AC-1CL-W
WHITE	
	MOM-2SC-1AC-1CL-S
SILVER	
SILVER RJ45 Cat6A S/FT	
WHITE SILVER <b>RJ45 Cat6A S/FT</b> BLACK WHITE	P + USB-A 3.0

### panconnect.



#### MOVE M, 2x SOCKET, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60H	Iz, (F-F, 150 mm)	RJ45 Cat6A	S/FTP + HDMI 4K 60Hz
BLACK	MOM-2SC-2L-1H-B	BLACK	MOM-2SC-2L-1HL-B
WHITE	MOM-2SC-2L-1H-W	I WHITE	MOM-2SC-2L-1HL-W
SILVER	MOM-2SC-2L-1H-S	SILVER	MOM-2SC-2L-1HL-S
RJ45 Cat6A S/FTF	P, 10GBase-T (F-F, coupler)	USB-C 3.2 ge	n2 + HDMI 4K 60Hz
BLACK	MOM-2SC-3L-B	BLACK	MOM-2SC-2L-1HC-E
WHITE	MOM-2SC-3L-W	I WHITE	MOM-2SC-2L-1HC-V
SILVER	MOM-2SC-3L-S	SILVER	MOM-2SC-2L-1HC-S
USB-C 3.2 gen2 10	0 Gbps (F-F, 150 mm)	USB-A 3.0 + I	HDMI 4K 60Hz
BLACK	MOM-2SC-2L-1C-B	BLACK	MOM-2SC-2L-1HA-B
WHITE	MOM-2SC-2L-1C-W	<b>WHITE</b>	MOM-2SC-2L-1HA-V
SILVER	MOM-2SC-2L-1C-S	SILVER	MOM-2SC-2L-1HA-S
JSB-A 3.0, 5 Gbps	s, (F-F, 150 mm)	RJ45 Cat6A	S/FTP + USB-C 3.2 gen2
BLACK	MOM-2SC-2L-1A-B	BLACK	MOM-2SC-2L-1CL-B
WHITE	MOM-2SC-2L-1A-W	I WHITE	MOM-2SC-2L-1CL-W
SILVER	MOM-2SC-2L-1A-S	SILVER	MOM-2SC-2L-1CL-S
2x Cat6A S/FTP, 10	0GBase-T (F-F, coupler)	RJ45 Cat6A	s/FTP + USB-A 3.0
BLACK	MOM-2SC-4L-B	BLACK	MOM-2SC-2L-1AL-B
WHITE	MOM-2SC-4L-W	I WHITE	MOM-2SC-2L-1AL-W
SILVER	MOM-2SC-4L-S	SILVER	MOM-2SC-2L-1AL-S



#### MOVE M, 1x SOCKET, USB-C/A CHARGING, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

4 )

1

4 1

41

BLACK	MOM-1SC-1AC-2L-1H-B
WHITE	MOM-1SC-1AC-2L-1H-W
SILVER	MOM-1SC-1AC-2L-1H-S
RJ45 Cat6A S/FTP	9, 10GBase-T (F-F, coupler)
BLACK	MOM-1SC-1AC-3L-B
WHITE	MOM-1SC-1AC-3L-W
SILVER	MOM-1SC-1AC-3L-S
BLACK WHITE SILVER	9 Gbps (F-F, 150 mm) MOM-1SC-1AC-2L-1C-E MOM-1SC-1AC-2L-1C-V MOM-1SC-1AC-2L-1C-S
USB-A 3.0, 5 Gbps	s, (F-F, 150 mm)
BLACK	MOM-1SC-1AC-2L-1A-B
WHITE	MOM-1SC-1AC-2L-1A-V
SILVER	MOM-1SC-1AC-2L-1A-S
2x Cat6A S/FTP, 10	)GBase-T (F-F, coupler)
BLACK	MOM-1SC-1AC-4L-B
DLAGN	MOW ISC IAC 4L B

BLACK	MOM-1SC-1AC-2L-1HL-B
WHITE	MOM-1SC-1AC-2L-1HL-W
SILVER	MOM-1SC-1AC-2L-1HL-S
USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOM-1SC-1AC-2L-1HC-B
WHITE	MOM-1SC-1AC-2L-1HC-W
SILVER	MOM-1SC-1AC-2L-1HC-S
WHITE	
SILVER	MOM-1SC-1AC-2L-1HA-W MOM-1SC-1AC-2L-1HA-S P + USB-C 3.2 gen2
SILVER	MOM-ISC-IAC-2L-IHA-S
SILVER	MOM-1SC-1AC-2L-1HA-S P + USB-C 3.2 gen2 MOM-1SC-1AC-2L-1CL-B
RJ45 Cat6A S/FT	MOM-1SC-1AC-2L-1HA-S P + USB-C 3.2 gen2 MOM-1SC-1AC-2L-1CL-B
RJ45 Cat6A S/FT BLACK WHITE SILVER	MOM-1SC-1AC-2L-1HA-S <b>P + USB-C 3.2 gen2</b> MOM-1SC-1AC-2L-1CL-B MOM-1SC-1AC-2L-1CL-W MOM-1SC-1AC-2L-1CL-S
RJ45 Cat6A S/FT BLACK WHITE SILVER	MOM-1SC-1AC-2L-1HA-S <b>P + USB-C 3.2 gen2</b> MOM-1SC-1AC-2L-1CL-B MOM-1SC-1AC-2L-1CL-W MOM-1SC-1AC-2L-1CL-S
RJ45 Cat6A S/FT BLACK WHITE SILVER RJ45 Cat6A S/FT	P + USB-C 3.2 gen2 MOM-1SC-1AC-2L-1CL-B MOM-1SC-1AC-2L-1CL-W MOM-1SC-1AC-2L-1CL-S P + USB-A 3.0

SILVER

MOM-1SC-1AC-4L-S

### panconnect.

#### MOVE M, 3x SOCKET, PASS-THRU (position for cable)

BLACK
WHITE
SILVER

MOM-3SC-IPT-B MOM-3SC-IPT-W MOM-3SC-IPT-S

#### MOVE M, 2x SOCKET, USB-C/A CHARGING, PASS-THRU (position for cable)

BLACK WHITE SILVER

BLACK

WHITE

SILVER

MOM-2SC-1AC-1PT-B MOM-2SC-1AC-1PT-W MOM-2SC-1AC-1PT-S

•	•

#### MOVE M, 2x SOCKET, 2x PASS-THRU (position for cable)

MOM-2SC-2PT-B MOM-2SC-2PT-W MOM-2SC-2PT-S



#### MOVE M, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (position for cable)

BLACK WHITE SILVER

#### MOM-1SC-1AC-2PT-B MOM-1SC-1AC-2PT-W MOM-1SC-1AC-2PT-S



#### MOVE M, 2x SOCKET, PASS-THRU (position for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

4 ]

**a** 1

41

Mom-2sc-1H-1PT-S           KJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)           BLACK         MOM-2sc-1L-1PT-B           WHITE         MOM-2sc-1L-1PT-W           SILVER         MOM-2sc-1L-1PT-S           JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)         MOM-2sc-1C-1PT-B           JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)         MOM-2sc-1C-1PT-B           JSB-C 3.0, 5 Gbps, (F-F, 150 mm)         MOM-2sc-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         MOM-2sc-1C-1PT-B           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         MOM-2sc-1A-1PT-B           JSLACK         MOM-2sc-1A-1PT-B           WHITE         MOM-2sc-1A-1PT-B           SILVER         MOM-2sc-1A-1PT-B           SILVER         MOM-2sc-1A-1PT-B           BLACK         MOM-2sc-1A-1PT-B           BLACK         MOM-2sc-1A-1PT-B	BLACK	MOM-2SC-1H-1PT-B	
RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)           3LACK         MOM-2SC-1L-1PT-B           WHITE         MOM-2SC-1L-1PT-W           SILVER         MOM-2SC-1L-1PT-W           JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)         JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)           JSLACK         MOM-2SC-1C-1PT-B           WHITE         MOM-2SC-1C-1PT-W           WHITE         MOM-2SC-1C-1PT-W           SILVER         MOM-2SC-1C-1PT-W           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         JSB-A 3.0, 5 Gbps, (F-F, 150 mm)           JLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-F           MOM-2SC-1A-1PT-S         MOM-2SC-1A-1PT-S	WHITE	MOM-2SC-1H-1PT-W	
BLACK         MOM-2SC-1L-1PT-B           WHITE         MOM-2SC-1L-1PT-W           SILVER         MOM-2SC-1L-1PT-W           JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)         BLACK           MOM-2SC-1C-1PT-B         MOM-2SC-1C-1PT-B           WHITE         MOM-2SC-1C-1PT-W           SILVER         MOM-2SC-1C-1PT-B           WHITE         MOM-2SC-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         BLACK           JSLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           MOM-2SC-2L-1PT-B         MOM-2SC-2L-1PT-W	SILVER	MOM-2SC-1H-1PT-S	
WHITE         MOM-2SC-1L-1PT-W           VINITE         MOM-2SC-1L-1PT-S           VISILVER         MOM-2SC-1C-1PT-S           VISILVER         MOM-2SC-1C-1PT-B           VISILVER         MOM-2SC-1C-1PT-W           SILACK         MOM-2SC-1C-1PT-W           WHITE         MOM-2SC-1C-1PT-W           VISILVER         MOM-2SC-1C-1PT-W           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         JSB-A           JSLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         JSLACK           MOM-2SC-2L-1PT-B         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-B	RJ45 Cat6A S/FTP	, 10GBase-T (F-F, coupler)	
Mom-2sc-1L-1PT-S           JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)           BLACK         MOM-2sc-1C-1PT-B           WHITE         MOM-2sc-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         BLACK           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         MOM-2sc-1A-1PT-B           JSLACK         MOM-2sc-1A-1PT-B           WHITE         MOM-2sc-1A-1PT-W           SILVER         MOM-2sc-1A-1PT-B           WHITE         MOM-2sc-1A-1PT-W           SILVER         MOM-2sc-1A-1PT-W           BLACK         MOM-2sc-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           MOM-2sc-2L-1PT-B         MOM-2sc-2L-1PT-B	BLACK	MOM-2SC-1L-1PT-B	
JSB-C 3.2 gen2 10 Gbps (F-F, 150 mm)           BLACK         MOM-2SC-1C-1PT-B           WHITE         MOM-2SC-1C-1PT-W           SILVER         MOM-2SC-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         BLACK           JSLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           MOM-2SC-2L-1PT-B         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-W	WHITE	MOM-2SC-1L-1PT-W	
BLACK         MOM-2SC-1C-1PT-B           WHITE         MOM-2SC-1C-1PT-W           SILVER         MOM-2SC-1C-1PT-W           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         BLACK           JSLVER         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           WHITE         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           MOM-2SC-2L-1PT-B         MOM-2SC-2L-1PT-F	SILVER	MOM-2SC-1L-1PT-S	
WHITE         MOM-2SC-1C-1PT-W           SILVER         MOM-2SC-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)         BLACK           MOM-2SC-1A-1PT-B         MOM-2SC-1A-1PT-W           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           BLACK         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-W	USB-C 3.2 gen2 10	Gbps (F-F, 150 mm)	
SILVER         MOM-2SC-1C-1PT-S           JSB-A 3.0, 5 Gbps, (F-F, 150 mm)           BLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           BLACK         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-W	BLACK	MOM-2SC-1C-1PT-B	
JSB-A 3.0, 5 Gbps, (F-F, 150 mm)           BLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           BLACK         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-W	WHITE	MOM-2SC-1C-1PT-W	
BLACK         MOM-2SC-1A-1PT-B           WHITE         MOM-2SC-1A-1PT-W           SILVER         MOM-2SC-1A-1PT-S           Ex Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK           BLACK         MOM-2SC-2L-1PT-B           WHITE         MOM-2SC-2L-1PT-W	SILVER	MOM-2SC-1C-1PT-S	
Mom         Doc         Mom         Doc           WHITE         MOM         2SC         1A-1PT         W           SILVER         MOM         2SC         1A-1PT         W           tx Cat6A S/FTP, 10GBase-T (F-F, coupler)         BLACK         MOM         2SC         2L-1PT           BLACK         MOM         2SC         2L-1PT         W           WHITE         MOM         2SC         2L-1PT	USB-A 3.0, 5 Gbps	, (F-F, 150 mm)	
AND LOG IN AT THE MOM-2SC-1A-IPT-S EX Cat6A S/FTP, 10GBase-T (F-F, coupler) BLACK MOM-2SC-2L-IPT-B WHITE MOM-2SC-2L-IPT-W	BLACK	MOM-2SC-1A-1PT-B	
Ax Cat6A S/FTP, 10GBase-T (F-F, coupler) BLACK MOM-2SC-2L-1PT-B WHITE MOM-2SC-2L-1PT-W	WHITE	MOM-2SC-1A-1PT-W	
BLACK MOM-2SC-2L-1PT-B WHITE MOM-2SC-2L-1PT-W	SILVER	MOM-2SC-1A-1PT-S	
WHITE MOM-2SC-2L-IPT-W	2x Cat6A S/FTP, 10	GBase-T (F-F, coupler)	
	BLACK	MOM-2SC-2L-1PT-B	
SILVER MOM-2SC-2L-1PT-S	WHITE	MOM-2SC-2L-1PT-W	

RJ45 Cat6A S/FT	P + HDMI 4K 60Hz
BLACK	MOM-2SC-1HL-1PT-B
WHITE	MOM-2SC-1HL-1PT-W
SILVER	MOM-2SC-1HL-1PT-S
USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOM-2SC-1HC-1PT-B
WHITE	MOM-2SC-1HC-1PT-V
SILVER	MOM-2SC-1HC-1PT-S
USB-A 3.0 + HDM	I 4K 60Hz
BLACK	MOM-2SC-1HA-1PT-B
WHITE	MOM-2SC-1HA-1PT-V
SILVER	MOM-2SC-1HA-1PT-S
RJ45 Cat6A S/FTI	P + USB-C 3.2 gen2
BLACK	MOM-2SC-1CL-1PT-B
WHITE	MOM-2SC-1CL-1PT-W
SILVER	MOM-2SC-1CL-1PT-S
RJ45 Cat6A S/FTI	P + USB-A 3.0
BLACK	MOM-2SC-1AL-1PT-B
WHITE	MOM-2SC-1AL-1PT-W
SILVER	MOM-2SC-1AL-1PT-S

DIAE CONTRA CIETO I LIDNALAK COLLA

4 P

### panconnect.



•

#### MOVE M, 1x SOCKET, USB-C/A CHARGING, PASS-THRU (position for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.


HDMI 2.0b 4K 60H	łz, (F-F, 150 mm)	RJ45 Cat6A S	FTP + HDMI 4K 60Hz
BLACK	MOM-1SC-1AC-1H-1PT-B	BLACK	MOM-1SC-1AC-1HL-1PT-B
WHITE	MOM-ISC-IAC-IH-IPT-W		MOM-1SC-1AC-1HL-1PT-V
SILVER	MOM-1SC-1AC-1H-1PT-S	SILVER	MOM-1SC-1AC-1HL-1PT-S
RJ45 Cat6A S/FTF	P, 10GBase-T (F-F, coupler)	USB-C 3.2 gen	2 + HDMI 4K 60Hz
BLACK	MOM-1SC-1AC-1L-1PT-B	BLACK	MOM-1SC-1AC-1HC-1PT-I
NHITE	MOM-1SC-1AC-1L-1PT-W	I WHITE	MOM-1SC-1AC-1HC-1PT-1
SILVER	MOM-1SC-1AC-1L-1PT-S	SILVER	MOM-ISC-IAC-IHC-IPT-
USB-C 3.2 gen2 10	) Gbps (F-F, 150 mm)	USB-A 3.0 + HI	DMI 4K 60Hz
BLACK	MOM-ISC-IAC-IC-IPT-B	BLACK	MOM-1SC-1AC-1HA-1PT-E
VHITE	MOM-ISC-IAC-IC-IPT-W	WHITE	MOM-ISC-IAC-IHA-IPT-V
SILVER	MOM-1SC-1AC-1C-1PT-S	SILVER	MOM-1SC-1AC-1HA-1PT-
JSB-A 3.0, 5 Gbps	s, (F-F, 150 mm)	RJ45 Cat6A S/	FTP + USB-C 3.2 gen2
BLACK	MOM-ISC-IAC-IA-IPT-B	BLACK	MOM-1SC-1AC-1CL-1PT-B
WHITE	MOM-ISC-IAC-IA-IPT-W	WHITE	MOM-1SC-1AC-1CL-1PT-V
SILVER	MOM-1SC-1AC-1A-1PT-S	SILVER	MOM-1SC-1AC-1CL-1PT-S
2x Cat6A S/FTP, 10	OGBase-T (F-F, coupler)	RJ45 Cat6A S/	FTP + USB-A 3.0
BLACK	MOM-1SC-1AC-2L-1PT-B	BLACK	MOM-1SC-1AC-1AL-1PT-B
WHITE	MOM-1SC-1AC-2L-1PT-W		MOM-1SC-1AC-1AL-1PT-V
SILVER	MOM-1SC-1AC-2L-1PT-S	SILVER	MOM-1SC-1AC-1AL-1PT-S



#### MOVE XL, 5x SOCKET, USB-C/A CHARGING

BLACK WHITE SILVER


MOXL-5SC-1AC-B MOXL-5SC-1AC-W MOXL-5SC-1AC-S



#### MOVE XL 4x SOCKET, 2x USB-C/A CHARGING

BLACK WHITE SILVER MOXL-4SC-2AC-B MOXL-4SC-2AC-W MOXL-4SC-2AC-S

### panconnect.




1

#### MOVE XL, 5x SOCKET, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60H	Iz, (F-F, 150 mm)	RJ45 Cat6A S	S/FTP + HDMI 4K 60Hz
BLACK	MOXL-5SC-1H-B	BLACK	MOXL-5SC-1HL-B
WHITE	MOXL-5SC-1H-W	I WHITE	MOXL-5SC-1HL-B
SILVER	MOXL-5SC-1H-S	SILVER	MOXL-5SC-1HL-S
RJ45 Cat6A S/FTI	P, 10GBase-T (F-F, coupler)	USB-C 3.2 ge	n2 + HDMI 4K 60Hz
BLACK	MOXL-5SC-1L-B	BLACK	MOXL-5SC-1HC-B
WHITE	MOXL-5SC-1L-W	I WHITE	MOXL-5SC-1HC-V
SILVER	MOXL-5SC-1L-S	SILVER	MOXL-5SC-1HC-S
JSB-C 3.2 gen2 10	0 Gbps (F-F, 150 mm)	USB-A 3.0 + H	IDMI 4K 60Hz
BLACK	MOXL-5SC-1C-B	BLACK	MOXL-5SC-1HA-B
WHITE	MOXL-5SC-1C-W		MOXL-5SC-1HA-W
SILVER	MOXL-5SC-1C-S	SILVER	MOXL-5SC-1HA-S
JSB-A 3.0, 5 Gbp	s, (F-F, 150 mm)	RJ45 Cat6A S	FTP + USB-C 3.2 gen2
BLACK	MOXL-5SC-1A-B	BLACK	MOXL-5SC-1CL-B
WHITE	MOXL-5SC-1A-W	WHITE	MOXL-5SC-1CL-W
SILVER	MOXL-5SC-1A-S	SILVER	MOXL-5SC-1CL-S
2x Cat6A S/FTP, 1	0GBase-T (F-F, coupler)	RJ45 Cat6A S	S/FTP + USB-A 3.0
BLACK	MOXL-5SC-2L-B	BLACK	MOXL-5SC-1AL-B
WHITE	MOXL-5SC-2L-W		MOXL-5SC-1AL-W
SILVER	MOXL-5SC-2L-S	SILVER	MOXL-5SC-1AL-S



#### MOVE XL, 4x SOCKET, USB-C/A CHARGING, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

> •

1

**4** I

41

BLACK	MOXL-4SC-1AC-1H-B	
WHITE	MOXL-4SC-1AC-1H-V	
SILVER	MOXL-4SC-1AC-1H-S	
RJ45 Cat6A S/FTF	9, 10GBase-T (F-F, coupler)	
BLACK	MOXL-4SC-1AC-1L-B	
WHITE	MOXL-4SC-1AC-1L-W	
SILVER	MOXL-4SC-1AC-1L-S	
USB-C 3.2 gen2 10	) Gbps (F-F, 150 mm)	
BLACK	MOXL-4SC-1AC-1C-B	
WHITE	MOXL-4SC-1AC-1C-	
SILVER	MOXL-4SC-1AC-1C-S	
USB-A 3.0, 5 Gbps	s, (F-F, 150 mm)	
BLACK	MOXL-4SC-1AC-1A-B	
WHITE	MOXL-4SC-1AC-1A-W	
SILVER	MOXL-4SC-1AC-1A-S	
2x Cat6A S/FTP, 10	)GBase-T (F-F, coupler)	
BLACK	MOXL-4SC-1AC-2L-B	
	MOXL-4SC-1AC-2L-W	

BLACK	MOXL-4SC-1AC-1HL-B		
WHITE	MOXL-4SC-1AC-1HL-W		
SILVER	MOXL-4SC-1AC-1HL-S		
USB-C 3.2 gen2 +	HDMI 4K 60Hz		
BLACK	MOXL-4SC-1AC-1HC-B		
WHITE	MOXL-4SC-1AC-1HC-W		
SILVER	MOXL-4SC-1AC-1HC-S		
USB-A 3.0 + HDM	II 4K 60Hz		
BLACK	MOXL-4SC-1AC-1HA-B		
WHITE	MOXL-4SC-1AC-1HA-W		
SILVER	MOXL-4SC-1AC-1HA-S		
RJ45 Cat6A S/FT	P + USB-C 3.2 gen2		
BLACK	MOXL-4SC-1AC-1CL-B		
WHITE	MOXL-4SC-1AC-1CL-W		
SILVER	MOXL-4SC-1AC-1CL-S		
RJ45 Cat6A S/FT	P + USB-A 3.0		
BLACK	MOXL-4SC-1AC-1AL-B		
WHITE	MOXL-4SC-1AC-1AL-W		
	MOXL-4SC-1AC-1AL-S		


I.

I.

SILVER

MOXL-4SC-1AC-2L-S

### panconnect.




1

#### MOVE XL, 3x SOCKET, USB-C/A CHARGING, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60H	Iz, (F-F, 150 mm)	RJ45 Cat6A S	FTP + HDMI 4K 60Hz
LACK	MOXL-3SC-1AC-2L-1H-B	BLACK	MOXL-3SC-1AC-2L-1HL-E
HITE	MOXL-3SC-1AC-2L-1H-W	I WHITE	MOXL-3SC-1AC-2L-1HL-V
LVER	MOXL-3SC-1AC-2L-1H-S	SILVER	MOXL-3SC-1AC-2L-1HL-S
145 Cat6A S/FTF	P, 10GBase-T (F-F, coupler)	USB-C 3.2 gei	n2 + HDMI 4K 60Hz
LACK	MOXL-3SC-1AC-3L-B	BLACK	MOXL-3SC-1AC-2L-1HC-
HITE	MOXL-3SC-1AC-3L-W	● ■ WHITE	MOXL-3SC-1AC-2L-1HC-
LVER	MOXL-3SC-1AC-3L-S	SILVER	MOXL-3SC-1AC-2L-1HC-
SB-C 3.2 gen2 10	) Gbps (F-F, 150 mm)	USB-A 3.0 + H	IDMI 4K 60Hz
ACK	MOXL-3SC-1AC-2L-1C-B	BLACK	MOXL-3SC-1AC-2L-1HA-
IITE	MOXL-3SC-1AC-2L-1C-W	∎ <b>■</b> White	MOXL-3SC-1AC-2L-1HA-
LVER	MOXL-3SC-1AC-2L-1C-S	SILVER	MOXL-3SC-1AC-2L-1HA-
B-A 3.0, 5 Gbps	s, (F-F, 150 mm)	RJ45 Cat6A S	/FTP + USB-C 3.2 gen2
LACK	MOXL-3SC-1AC-2L-1A-B	BLACK	MOXL-3SC-1AC-2L-1CL-E
'HITE	MOXL-3SC-1AC-2L-1A-W	I WHITE	MOXL-3SC-1AC-2L-1CL-V
LVER	MOXL-3SC-1AC-2L-1A-S	SILVER	MOXL-3SC-1AC-2L-1CL-
Cat6A S/FTP, 10	0GBase-T (F-F, coupler)	RJ45 Cat6A S	/FTP + USB-A 3.0
ACK	MOXL-3SC-1AC-4L-B	BLACK	MOXL-3SC-1AC-2L-1AL-E
HITE	MOXL-3SC-1AC-4L-W		MOXL-3SC-1AC-2L-1AL-V
ILVER	MOXL-3SC-1AC-4L-S	SILVER	MOXL-3SC-1AC-2L-1AL-9



#### MOVE XL, 3x SOCKET, USB-C/A CHARGING, PASS-THRU (for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

4

1

4 1

41

BLACK	MOXL-3SC-1AC-1H-1F
WHITE	MOXL-3SC-1AC-1H-1F
SILVER	MOXL-3SC-1AC-1H-1F
RJ45 Cat6A S/FTP	, 10GBase-T (F-F, coupler)
BLACK	MOXL-3SC-1AC-1L-1P
WHITE	MOXL-3SC-1AC-1L-1P
SILVER	MOXL-3SC-1AC-1L-1P
USB-C 3.2 gen2 10	Gbps (F-F, 150 mm)
BLACK	MOXL-3SC-1AC-1C-1F
WHITE	MOXL-3SC-1AC-1C-1F
SILVER	MOXL-3SC-1AC-1C-1F
USB-A 3.0, 5 Gbps	, (F-F, 150 mm)
BLACK	MOXL-3SC-1AC-1A-1P
WHITE	MOXL-3SC-1AC-1A-1F
SILVER	MOXL-3SC-1AC-1A-1F
2x Cat6A S/FTP. 10	GBase-T (F-F, coupler)
BLACK	MOXL-3SC-1AC-2L-1P


BLACK	MOXL-3SC-1AC-1HL-1PT-B
WHITE	MOXL-3SC-1AC-1HL-1PT-W
SILVER	MOXL-3SC-1AC-1HL-1PT-S
USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOXL-3SC-1AC-1HC-1PT-B
WHITE	MOXL-3SC-1AC-1HC-1PT-V
SILVER	MOXL-3SC-1AC-1HC-1PT-S
USB-A 3.0 + HDM	I 4K 60Hz
BLACK	MOXL-3SC-1AC-1HA-1PT-B
WHITE	MOXL-3SC-1AC-1HA-1PT-W
SILVER	MOXL-3SC-1AC-1HA-1PT-S
RJ45 Cat6A S/FT	P + USB-C 3.2 gen2
BLACK	MOXL-3SC-1AC-1CL-1PT-B
WHITE	MOXL-3SC-1AC-1CL-1PT-W
SILVER	MOXL-3SC-1AC-1CL-1PT-S
RJ45 Cat6A S/FT	P + USB-A 3.0
BLACK	MOXL-3SC-1AC-1AL-1PT-B
WHITE	MOXL-3SC-1AC-1AL-1PT-W
VVHILE	WORL-33C-IAC-IAL-IFT-W

.

SILVER

MOXL-3SC-1AC-2L-1PT-S


### panconnect.



#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60H	łz, (F-F, 150 mm)	RJ45 Cat6A S/FT	P + HDMI 4K 60Hz
BLACK	MOXL-2SC-1AC-1H-2PT-B	BLACK	MOXL-2SC-1AC-1HL-2PT-B
WHITE	MOXL-2SC-1AC-1H-2PT-W	I WHITE	MOXL-2SC-1AC-1HL-2PT-V
SILVER	MOXL-2SC-1AC-1H-2PT-S	SILVER	MOXL-2SC-1AC-1HL-2PT-S
RJ45 Cat6A S/FTF	P, 10GBase-T (F-F, coupler)	USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOXL-2SC-1AC-1L-2PT-B	BLACK	MOXL-2SC-1AC-1HC-2PT-E
WHITE	MOXL-2SC-1AC-1L-2PT-W	I WHITE	MOXL-2SC-1AC-1HC-2PT-V
SILVER	MOXL-2SC-1AC-1L-2PT-S	SILVER	MOXL-2SC-1AC-1HC-2PT-5
USB-C 3.2 gen2 10	) Gbps (F-F, 150 mm)	USB-A 3.0 + HDM	II 4K 60Hz
BLACK	MOXL-2SC-1AC-1C-2PT-B	BLACK	MOXL-2SC-1AC-1HA-2PT-E
WHITE	MOXL-2SC-1AC-1C-2PT-W	WHITE	MOXL-2SC-1AC-1HA-2PT-\
SILVER	MOXL-2SC-1AC-1C-2PT-S	SILVER	MOXL-2SC-1AC-1HA-2PT-S
USB-A 3.0, 5 Gbps	s, (F-F, 150 mm)	RJ45 Cat6A S/FT	P + USB-C 3.2 gen2
BLACK	MOXL-2SC-1AC-1A-2PT-B	BLACK	MOXL-2SC-1AC-1CL-2PT-B
WHITE	MOXL-2SC-1AC-1A-2PT-W	WHITE	MOXL-2SC-1AC-1CL-2PT-V
SILVER	MOXL-2SC-1AC-1A-2PT-S	SILVER	MOXL-2SC-1AC-1CL-2PT-S
2x Cat6A S/FTP, 10	0GBase-T (F-F, coupler)	RJ45 Cat6A S/FT	P + USB-A 3.0
BLACK	MOXL-2SC-1AC-2L-2PT-B	BLACK	MOXL-2SC-1AC-1AL-2PT-B
WHITE	MOXL-2SC-1AC-2L-2PT-W	I WHITE	MOXL-2SC-1AC-1AL-2PT-V
SILVER	MOXL-2SC-1AC-2L-2PT-S	SILVER	MOXL-2SC-1AC-1AL-2PT-S




1

#### MOVE XL, 5x SOCKET, PASS-THRU (for cable)

BLACK		
WHITE		
SILVER		

MOXL-5SC-1PT-B MOXL-5SC-1PT-W MOXL-5SC-1PT-S



#### MOVE XL, 4x SOCKET, USB-C/A CHARGING, PASS-THRU (for cable)

BLACK WHITE SILVER

BLACK

WHITE


SILVER

BLACK

WHITE


SILVER

MOXL-4SC-1AC-1PT-B MOXL-4SC-1AC-1PT-W MOXL-4SC-1AC-1PT-S



#### MOVE XL, 4x SOCKET, 2x PASS-THRU (for cable)

MOXL-4SC-2PT-B MOXL-4SC-2PT-W MOXL-4SC-2PT-S



#### MOVE XL, 3x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (for cable)

MOXL-3SC-1AC-2PT-B MOXL-3SC-1AC-2PT-W MOXL-3SC-1AC-2PT-S


### panconnect.

$\odot$	$\mathbf{\mathbf{\overline{U}}}$	
-	-	

#### MOVE XL, 3x SOCKET, 3x PASS-THRU (for cable)


BLACK	
WHITE	
SILVER	

MOXL-3SC-3PT-B MOXL-3SC-3PT-W MOXL-3SC-3PT-S



#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, 3x PASS-THRU (for cable)

BLACK WHITE SILVER MOXL-2SC-1AC-3PT-B MOXL-2SC-1AC-3PT-W MOXL-2SC-1AC-3PT-S



#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM


BLACK WHITE SILVER MOXL-2SC-1AC-1PT-CUE-B MOXL-2SC-1AC-1PT-CUE-W MOXL-2SC-1AC-1PT-CUE-S



#### MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK WHITE SILVER

#### MOXL-ISC-IAC-2PT-CUE-B MOXL-ISC-IAC-2PT-CUE-W MOXL-ISC-IAC-2PT-CUE-S



4 D

SILVER

#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

4

1

**4** I


41

BLACK	MOXL-2SC-1AC-1H-CUE-B
WHITE	MOXL-2SC-1AC-1H-CUE-W
SILVER	MOXL-2SC-1AC-1H-CUE-S
RJ45 Cat6A S/FTP, 10GBc	ase-T (F-F, coupler)
BLACK	MOXL-2SC-1AC-1L-CUE-B
WHITE	MOXL-2SC-1AC-1L-CUE-W
SILVER	MOXL-2SC-1AC-1L-CUE-S
USB-C 3.2 gen2 10 Gbps	(F-F, 150 mm)
BLACK	MOXL-2SC-1AC-1C-CUE-B
WHITE	MOXL-2SC-1AC-1C-CUE-W
SILVER	MOXL-2SC-1AC-1C-CUE-S
USB-A 3.0, 5 Gbps, (F-F,	150 mm)
BLACK	MOXL-2SC-1AC-1A-CUE-B
	MOXL-2SC-1AC-1A-CUE-W
WHITE	MOXL-2SC-IAC-IA-CUE-W
WHITE SILVER	MOXL-2SC-IAC-IA-CUE-W MOXL-2SC-IAC-IA-CUE-S
	MOXL-2SC-1AC-1A-CUE-S
SILVER	MOXL-2SC-1AC-1A-CUE-S

MOXL-2SC-1AC-2L-CUE-S


BLACK	MOXL-2SC-1AC-1HL-CUE-E
WHITE	MOXL-2SC-1AC-1HL-CUE-V
SILVER	MOXL-2SC-1AC-1HL-CUE-S
USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOXL-2SC-1AC-1HC-CUE-
WHITE	MOXL-2SC-1AC-1HC-CUE-
SILVER	MOXL-2SC-1AC-1HC-CUE-
USB-A 3.0 + HDMI	4K 60Hz
BLACK	MOXL-2SC-1AC-1HA-CUE-
WHITE	MOXL-2SC-1AC-1HA-CUE-
SILVER	MOXL-2SC-1AC-1HA-CUE-
RJ45 Cat6A S/FTF	9 + USB-C 3.2 gen2
BLACK	MOXL-2SC-1AC-1CL-CUE-E
WHITE	MOXL-2SC-1AC-1CL-CUE-\
SILVER	MOXL-2SC-1AC-1CL-CUE-
RJ45 Cat6A S/FTF	P + USB-A 3.0
BLACK	MOXL-2SC-1AC-1AL-CUE-E
WHITE	MOXL-2SC-1AC-1AL-CUE-V
SILVER	MOXL-2SC-1AC-1AL-CUE-S

### panconnect.




#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK WHITE SILVER MOXL-2SC-1AC-1PT-BMP-B MOXL-2SC-1AC-1PT-BMP-W MOXL-2SC-1AC-1PT-BMP-S



#### MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK WHITE SILVER MOXL-1SC-1AC-2PT-BMP-B MOXI-ISC-IAC-2PT-BMP-W MOXL-1SC-1AC-2PT-BMP-S



1

I.

4 1

#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

BLACK	MOXL-2SC-1AC-1H-BN
WHITE	MOXL-2SC-1AC-1H-BM
SILVER	MOXL-2SC-1AC-1H-BM
RJ45 Cat6A S/FTP	, 10GBase-T (F-F, coupler)
BLACK	MOXL-2SC-1AC-1L-BM
WHITE	MOXL-2SC-1AC-1L-BM
SILVER	MOXL-2SC-1AC-1L-BM
USB-C 3.2 gen2 10	Gbps (F-F, 150 mm)
BLACK	MOXL-2SC-1AC-1C-B
WHITE	MOXL-2SC-1AC-1C-B
SILVER	MOXL-2SC-1AC-1C-BM
USB-A 3.0, 5 Gbps	s, (F-F, 150 mm)
BLACK	MOXL-2SC-1AC-1A-BM
WHITE	MOXL-2SC-1AC-1A-BN
SILVER	MOXL-2SC-1AC-1A-BN
2x Cat6A S/FTP, 10	GBase-T (F-F, coupler)
BLACK	MOXL-2SC-1AC-2L-BN
WHITE	MOXL-2SC-1AC-2L-BN
SILVER	MOXL-2SC-1AC-2L-BN

	•	D	
(	I	D	]
		D	]
	4	I	]
	•		

RJ45 Cat6A S/FTP + HDMI 4K 60Hz	
BLACK	MOXL-2SC-1AC-1HL-BMP-B
WHITE	MOXL-2SC-1AC-1HL-BMP-W
SILVER	MOXL-2SC-1AC-1HL-BMP-S

#### USB-C 3.2 gen2 + HDMI 4K 60Hz

MOXL-2SC-1AC-1HC-BMP-	в
MOXL-2SC-1AC-1HC-BMP-	W
MOXL-2SC-1AC-1HC-BMP-	S

#### USB-A 3.0 + HDMI 4K 60Hz

BLACK WHITE SILVER

BLACK

WHITE

SILVER

RJ4 BLA

> MOXL-2SC-1AC-1HA-BMP-B MOXI-2SC-1AC-1HA-BMP-W MOXL-2SC-1AC-1HA-BMP-S

#### RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOXL-2SC-1AC-1CL-BMP-B
WHITE	MOXL-2SC-1AC-1CL-BMP-W
SILVER	MOXL-2SC-1AC-1CL-BMP-S


#### RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOXL-2SC-1AC-1AL-BMP-B
WHITE	MOXL-2SC-1AC-1AL-BMP-W
SILVER	MOXL-2SC-1AC-1AL-BMP-S



#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM

MOXL-2SC-1AC-1PT-EXT-B MOXL-2SC-1AC-1PT-EXT-W MOXL-2SC-1AC-1PT-EXT-S



#### MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK WHITE SILVER


BLACK

WHITE

SII VER

MOXL-ISC-IAC-2PT-EXT-B MOXL-1SC-1AC-2PT-EXT-W MOXL-1SC-1AC-2PT-EXT-S

### panconnect.



e.

1

4 D

#### MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

BLACK	MOXL-2SC-1AC-1H-EXT-B
WHITE	MOXL-2SC-1AC-1H-EXT-W
SILVER	MOXL-2SC-1AC-1H-EXT-S
RJ45 Cat6A S/FTP,	10GBase-T (F-F, coupler)
BLACK	MOXL-2SC-1AC-1L-EXT-B
WHITE	MOXL-2SC-1AC-1L-EXT-W
SILVER	MOXL-2SC-1AC-1L-EXT-S
	Gops (r-r, 150 mm)
	MOXL-2SC-1AC-1C-EXT-B
	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W
WHITE SILVER	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-V MOXL-2SC-1AC-1C-EXT-S
WHITE SILVER	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-V MOXL-2SC-1AC-1C-EXT-S
WHITE SILVER USB-A 3.0, 5 Gbps,	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-V MOXL-2SC-1AC-1C-EXT-S
WHITE SILVER USB-A 3.0, 5 Gbps, BLACK	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S (F-F, 150 mm) MOXL-2SC-1AC-1A-EXT-B
BLACK WHITE SILVER USB-A 3.0, 5 Gbps, BLACK WHITE SILVER	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S (F-F, 150 mm) MOXL-2SC-1AC-1A-EXT-B
WHITE SILVER USB-A 3.0, 5 Gbps, BLACK WHITE	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S (F-F, 150 mm) MOXL-2SC-1AC-1A-EXT-B MOXL-2SC-1AC-1A-EXT-W
WHITE SILVER USB-A 3.0, 5 Gbps, BLACK WHITE SILVER	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S (F-F, 150 mm) MOXL-2SC-1AC-1A-EXT-B MOXL-2SC-1AC-1A-EXT-W
WHITE SILVER USB-A 3.0, 5 Gbps, BLACK WHITE SILVER	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S (F-F, 150 mm) MOXL-2SC-1AC-1A-EXT-B MOXL-2SC-1AC-1A-EXT-W MOXL-2SC-1AC-1A-EXT-S
WHITE SILVER USB-A 3.0, 5 Gbps, BLACK WHITE SILVER 2x Cat6A S/FTP, 10	MOXL-2SC-1AC-1C-EXT-B MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-W MOXL-2SC-1AC-1C-EXT-S MOXL-2SC-1AC-1A-EXT-B MOXL-2SC-1AC-1A-EXT-W MOXL-2SC-1AC-1A-EXT-S GBase-T (F-F, coupler)

BLACK	MOXL-2SC-1AC-1HL-EXT-B
WHITE	MOXL-2SC-1AC-1HL-EXT-W
SILVER	MOXL-2SC-1AC-1HL-EXT-S
USB-C 3.2 gen2 +	HDMI 4K 60Hz
BLACK	MOXL-2SC-1AC-1HC-EXT-B
WHITE	MOXL-2SC-1AC-1HC-EXT-W
SILVER	MOXL-2SC-1AC-1HC-EXT-S
USB-A 3.0 + HDM	I 4K 60Hz
BLACK	MOXL-2SC-1AC-1HA-EXT-B
WHITE	MOXL-2SC-1AC-1HA-EXT-W
SILVER	MOXL-2SC-1AC-1HA-EXT-S
RJ45 Cat6A S/FTI	P + USB-C 3.2 gen2
BLACK	MOXL-2SC-1AC-1CL-EXT-B
WHITE	MOXL-2SC-1AC-1CL-EXT-W
SILVER	MOXL-2SC-1AC-1CL-EXT-S
RJ45 Cat6A S/FTI	P + USB-A 3.0
BLACK	MOXL-2SC-1AC-1AL-EXT-B
WHITE	MOXL-2SC-1AC-1AL-EXT-W

### panconnect.


#### INSTALLATION INSTRUCTION

MOVE is installed into a cut or milled opening in the tabletop.

The installation of the MOVE panel requires a circular saw and a cordless drill with wood drill bits. CNC milling can be utilized as part of the production of tabletops.

 Mark two opposite corners and drill them.
 Cut the shape between the holes according to the CUT-OUT in the installation manual using a circular saw.

3 | Insert the panel into the opening, place the mounting frame from below, and tighten the screws according to the strength of the tabletop.
4 | Attach the PASS-THRU BAG or PULL-OUTs, connect the AV signals, and plug the panel into the power outlet.



PRODUCT PACKAGE

Panel MOVE with power cable, mounting frame, mounting screws

THICKNESS OF THE DESK

10 - 40 mm (possibility up to 60 mm with custom screws , not part of a standard package)

#### INSTALLATION MANUAL

panconnect.eu/en/download/



#### **SAFETY & RECYCLATION**

# CE

PANCONNECT declares that panel MOVE complies with Low voltage directive 2014/35/EU and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.



All products from PANCONNECT are intended for upgrade or recyclation in accordance with the company's policy. Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives.



This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste. For more information please check www.asekol.cz | info@asekol.cz

#### **ABOUT THE MANUFACTURER**

#### panconnect.

PANCONNECT s.r.o. Olomoucká 601/51, 618 00 Brno Pobřežní 249/46, 186 00 Praha ID: 29265703, VAT ID: CZ29265703 sales@panconnect.eu, +420 603 575 486 support@panconnect.eu, +420 731 145 272 web: www.panconnect.eu portal and configurator: pro.panconnect.eu