



# PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER



## Description

PR 4093 has been designed to provide a flexible solution for paging and music application in PA systems. It offers 6 balanced inputs mic/line with PHANTOM facility, the first of them with priority triggered by VOX circuit. In addition, 3 stereo input on RCA connectors are available. Outputs offer different functionalities, included tone control on front panel, dedicated mixing of inputs 1-6 e connection to recording devices.

## Features

- › 6 balanced XLR inputs with MIC/LINE sensibility and selectable PHANTOM power
- › 3 stereo inputs on RCA connectors
- › SIGNAL presence LED for each input
- › Priority function on input 1, activatable through VOX circuit
- › 1 XLR stereo output with tone control LOW, MID, HIGH on front panel
- › 1 MONO output on 1/4" jack connector
- › 1 MIC output on 1/4" jack connector
- › Connection to recording device on RCA connectors
- › LED output level indicator
- › 230V AC functioning and 24V DC emergency power supply

## Part Number



17100003	PR 4093	220-240 V	Black	EAN 8024530013677
17100007	PR 4093	115 V	Black	EAN 8024530015367



# PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER

Line Art 2D



## TECHNICAL SPECIFICATIONS

<b>Audio performance</b>	Frequency Response (-3dB)	20 Hz ÷ 22 kHz
	Crosstalk (on the whole bandwidth)	<-68 dB
	Distortion (THD+N) @ 1 kHz nominal power	<0.03 %
<b>Input section</b>	Total number of inputs	9
	Balanced	6
	Unbalanced	3
	Mono	6
	Stereo	3
	Line inputs	3
	Line connectors	RCA
	Mic+Line inputs	6
	Mic+Line connectors	XLR
Mic+Line Phantom	18 V DC - 21 V DC	
VOX	Yes	
<b>Output section</b>	Signal output number	3
	Signal output connectors	JACK, RCA, XLR
<b>Processing</b>	Tone controls	Yes
<b>Controls</b>	Configuration	Front panel
<b>Protections</b>	Cooling	Convection
<b>Power requirement</b>	Operating voltage	220-240/115 V - 50/60Hz
	Voltage selection	Internal
	DC power	Yes
	DC power value	24 V
	Power consumption	18 W
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Cabinet/Case Material	Metal
	Color	Black
	Rack mounting	19", 1U



# PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER

<b>Size</b>	Height	44 mm / 1.73 inches
	Width	483 mm / 19.02 inches
	Depth	195 mm / 7.68 inches
	Weight	2.8 kg / 6.17 lbs